


USING OPTIONAL STRAPS

The deluxe wrist strap, petite wrist strap, and shoulder strap are optional accessories for the Pathfinder® 6057 printer. The wrist straps support the printer in your hand, making it easier to print and apply labels. The shoulder strap allows you to carry the printer and extra batteries. Multiple straps cannot be used together.

Information in this document supercedes information in previous versions. Check our Web site (www.monarch.com) for the latest documentation and release information.

Attaching the Strap Brackets


1. Turn the printer upside down, and place it on a table.
2. Slide the right and left hand strap brackets in to place. Use a Phillips head screwdriver to install the provided screw in the brackets.




Attaching the Deluxe or Petite Wrist Strap

To attach the strap to the printer:

1. Lay the strap out flat so the angled sides face up.




Deluxe Wrist Strap




Petite Wrist Strap

2. Rotate the printer so that the display is facing you and lay the wrist pad in place on the printer.
3. Thread the right end of the strap through the right strap bracket so the angled part faces up. Move it down and out. Fold the end over and attach it.



4. Repeat step 3 for the left side of the strap.

5. Turn the printer upright, place your hand through the loop, and hold the printer's handle. Adjust the pad as necessary.




About the Safety Feature


The plastic loops on either side of the wrist straps are a safety feature to protect you from personal injury. If the strap gets caught, the loops come apart breaking it into pieces.

Attaching the Shoulder Strap

The parts of the shoulder strap are shown below.



To attach the shoulder strap, secure the strap clips to the strap brackets as shown.



Visit our Web site for sales, service, supplies, information, and telephone numbers for our locations throughout the world.

TOLL FREE:

1-800-543-6650 (U.S.A.)

1-800-387-4740 (Canada)